



What's New!

GC Columns

- 0.10mm ID Capillary Columns
Rxi®-1ms, Rxi®-5ms, Rxi®-5Sil MS, Rxi®-17
- Rxi®-5Sil MS Columns
- Rxi®-XLB Columns
- Rtx®-Biodiesel TG Columns
- MXT®-Biodiesel TG Columns
- Rtx®-CLPesticides Column & 0.32mm ID Column Kit
- Stx™-CLPesticides Column & 0.32mm ID Column Kit
- Rt™-QS-BOND PLOT Column
- D3606 Application Packed Column Set

GC Accessories

- **Supplies for Agilent GCs**
*Inlet & FID Maintenance Kits, PTV On-Column Liners, Parking Post
4mm Gooseneck Precision™ Liners, Dual Vespel® Ring Cross-Disk Inlet Seals,
Oven Flapper Assemblies, Replacement ECD Fused Silica Liners & Micro ECD Liners,*
 - **Supplies for Varian GCs**
Drilled Uniliner® Inlet Liners for Varian 1078/1079
 - **Supplies for PerkinElmer GCs**
Drilled Uniliner® Inlet Liners for PerkinElmer PSS, Zero Dilution Outer Liners for PerkinElmer PSS
 - **Supplies for Thermo Scientific GCs**
*Septum Cap for Split/Splitless Injector, Adapters for Capillary Columns,
Fixing Nut for Capillary Column for Split/Splitless Injector
Gold-Plated Liner Cap for Split/Splitless Injector, Nut for Terminal Fitting*
 - **Other Supplies**
*Electronic Leak Detector, ETP Electron Multipliers, Hydrogen Generators with Universal Plug Sets,
Super-Clean™ Filter Base Plates w/ Stainless Steel Fittings, Certified Vials,
Electronic Crimpers/Decappers w/ Universal Plug Sets, Norm-Ject® Plastic Syringes,
Headspace Vials, Swagelok Fittings*
- 



Chromatography Products

www.restek.com 800-356-1688 • 814-353-1300

HPLC Columns

- Pinnacle® DB 1.9µm Columns for UHPLC
C18, Silica, PFP Propyl, Biphenyl, Aqueous C18, Cyano, IBD, X3 C18, PAH Phases
- LC Capillary Columns
- Pinnacle® DB Biphenyl, 3µm & 5µm Columns
- Pinnacle® DB PFP Propyl, 3µm & 5µm Columns
- Pinnacle® DB Silica, 3µm Columns
- Pinnacle® DB Aqueous C18, 3µm & 5µm Columns
- Pinnacle® II PAH, 4µm Columns
- Trident HPLC Guard Cartridges
Pinnacle® DB Aqueous C18, Pinnacle® DB Biphenyl, Pinnacle® DB PFP Propyl



HPLC Accessories

- Waste Overflow Indicator for HPLC Systems
- Bottle Head Assembly for Agilent HPLC Systems
- Helium Tubing for Agilent HPLC Systems
- Injector Lubricant for Agilent HPLC Systems
- Preventative Maintenance Kit for Waters 515 Pump
- Membrane Filters, Polypropylene & Nylon
- Hub-Cap Filter Kit



Sample Preparation

- SPE Florisil® Cartridges
- CarboPrep™ Reversing SPE Cartridges
- Closed End SPE Cartridges: Activated Sodium Sulfate
- SPE GHB Cartridges
- Sodium Sulfate Bulk Adsorbent
- Replacement Waste Container for 12-Port SPE Manifold
- Cellulose Acetate Syringe Filters
- PVDF Syringe Filters
- Norm-Ject® Plastic Syringes
- Resprep™ 22mL Extraction Cell Kit for ASE® 200 Systems—Stainless Steel & Siltek® Treated
- Resprep™ Funnel for Extraction Cells
- QuEChERS SPE Tubes



Analytical Reference Materials

- PBDE Mix
- CARB 1004 Aldehyde/Ketone-DNPH Calibration Standard
- DNPH Reference Materials
- SOM01.1 VOA DMC Kit
- SOM01.1 VOA Ketone Deuterated Monitoring Compounds
- SOM01.1 VOA Non-Ketone Deuterated Monitoring Compounds
- Sulfur Simulated Distillation Standard
- Speciated Sulfur System Suitability Checkout Standard
- EPA Ultra Low & Low Sulfur Diesel Standards & Samples in Diesel Fuel to meet EPA Requirements for Lab Qualification
- Ultra Low & Low Sulfur in Diesel Fuel Calibration Kits
- Low Sulfur in Gasoline Calibration Standards
- Sulfur in Isooctane Calibration Kits & Check Standards
- Total Sulfur & Total Nitrogen in Isooctane Calibration Kits
- Sulfur in Mineral Oil Calibration Kits & Check Standards
- Exempted Drug of Abuse Singles
- Δ^9 -THC Standard
- 11-nor-9-carboxy-D-9-THC Standard
- Residual Solvents Class 1 Mix
- Residual Solvents Class 2, Mix B
- USP <467> Singles
- Derivatization Reagents: Acylation
- Derivatization Reagents: Alkylation
- Derivatization Reagents: Silylation
- Dimethachlor ESA Sodium Salt, Method 535
- Butachlor ESA Sodium Salt, Method 535
- Method 535 Singles
- Method 525 Singles
- 0.16 μ g/dL Forensic Ethanol Solution (blood alcohol)
- DCG Mix Oxy Set Up Blend, ASTM D6730 SCE




Applications

Too many to list! For New HPLC and GC Applications, visit us online at www.restek.com.

Air Monitoring

- TO-Can™ Canisters w/Swagelok® Bellows-Sealed Valves
- Replacement Swagelok® Bellows-Sealed Valve
- Ashcroft Test Gauges
- Canister Air Sampling Timer
- Thermal Desorption Unit Tubes and Accessories
- PUF Cartridges
- Gas Standards in PI-marked Cylinders
- Sulfur 5-Component Mix
- TO-14A/TO-15/TO-17 Performance Test Mix
- Sulfinert® Treated Ultra-High Pressure Sample Cylinders & Valves
- Vacuum Gauges
- Sample Inlets
- Quick-Connect Stem Protector for Miniature Air Sampling Canisters



Restek Performance Coatings

Restek Performance Coatings continue to supply solutions to a wide variety of industries:

- Siltek® coatings are providing inert sample pathways for manufacturers of mercury analyzers.
- Sulfinert® coatings provide the most inert surfaces for transfer of sulfur-containing streams, providing a valuable service for samplers used by refineries, bottlers, and the oil and natural gas exploration industries.

Restek Trademarks: CarboPrep, MXT, Pinnacle, Precision, Resprep, Restek logo, Rt, Rtx, Rxi, Siltek, Sbx, Sulfinert, TO-Can, Uniliner.

Other Trademarks: ASE (Dionex Corp.), Vespel (E.I. du Pont de Nemours & Co., Inc.), NORM-JECT (Henke-Sass, Wolf GmbH Ltd.), Swagelok (Swagelok Co.), Florisil (US Silica Co.).

Available from: LECO Australia Pty Ltd - Ph: 612 9894 5955 - Fx: 612 9894 5247 - Email: australia@leco.com



Restek U.S. • 110 Benner Circle • Bellefonte, PA 16823 • 814-353-1300 • 800-356-1688 • fax: 814-353-1309 • www.restek.com
Restek France • phone: +33 (0)1 60 78 32 10 • fax: +33 (0)1 60 78 70 90 • e-mail: restek@restekfrance.fr
Restek Ireland • phone: +44 2890 814576 • fax: +44 2890 814576 • e-mail: restekeurope@aol.com
Thames Restek U.K. LTD • phone: +44 1494 563377 • fax: +44 1494 564990 • e-mail: sales@thamesrestek.co.uk
Restek GmbH • phone: +49 (0) 6172 2797 0 • fax: +49 (0) 6172 2797 77 • e-mail: info@restekgmbh.de

Lit. Cat.# GNTS1116

© 2008 Restek Corporation.

